









About Us

Shree Chandramangal Suncity Marketing Pvt Ltd. Established U/s of the Companies Act 2013. An ISO 9001:2015 certified Company along-with FICCI, ASSOCHAM, CE Certificate for Quality Research Organization and START UP is promptly engaged in business activities related with Solar Energy and its components.

We aims to provide a team of solar professionals through our sustainable platform (Suncity Solar) for all the members and sections of our civil society with the broader concept of benefiting the larger population as "Earn while Learn and Learn to Earn" through Direct Selling of Nation based Solar Products.

Our Business School – "Discovery of Success" (DOS) owns the pride to be a part of Skill Development and Self Employment Mission. DOS also provides a platform and opportunity to get yourself trained to build the team with best selling skills and technically well equipped in the field of Solar along with Personality Development that too being a part of training courses for system oriented individuals.

Our Vision

"Solar For All and Employment for All" "हर घर सोलर-हर घर रोजगार"

Our Mission

Solution of Power and Power of Team Work to Save the Nature and Build the Nation.

Benefits of Our Solar Products

- Saving Electricity bill at your plant or home.
- Return of Investment on Solar System 4 to 5 years.
- Low Maintenance.
- Long Life 30 to 35 Years.
- Accelerated depreciation.
- Environment friendly green energy without pollution.
- You can add value to your home.
- You can save yourself from Electricity crisis.
- You can take advantage of State & Central Govt. policies.
- Most important you can save Mother Earth and Environment for upcoming generations.



"जिस समय जिस काम के लिए प्रतिज्ञा करो, ठीक उसी समय पर उसे करना ही चाहिये, नहीं तो लोगो का विश्वास उठ जाता है।"

Suncity Solar Welcome Product



DP = 15,700/- (100SV)

- Performance Warranty 1 year
- Backup on Battery full charge
- 2 lamps upto 5 hours Only Fan: upto 3 hours

Sun-Maxima

- 10w Solar Poly Crystalline Module With 3mtr. cable
- Smart Solar Power Bank with Inbuilt Lithium Battery
- portable table fan 9 inch with 3 speed control
- 3w x 2 high brightness hangable lamps
- Multipurpose table lamp with battery backup
- USB Output with fast Mobile charging
- Battery charging level indication
- Solar Business Opportunity

Special Note:- Off site service will be provided under warranty period only.



DP = 15,700/-(100SV)

- Performance Warranty 1 year - Back-up 1 Night Autonomy (When Battery fully charged)

Street Maxima

- 25w Solar Mono Crystalline Module
- 12w Super Bright LED with Osram chip
- Lithium Battery
- Aluminium Die with 1.8mm
- Smart charge controller & electronics
- Solar Business Opportunity

Special Note:- Off site service will be provided under warranty period only.



Super Maxima

- 165w/12v-Solar Modules (Poly) x2
- Solar PCU 1KVA(1000VA)/12V PWM
- 180AH Solar Tall Tubular Battery x1
- 6+6 Meter 4Sq. MM DC Wire
- Structure & Installation Excluded
- Solar Business Opportunity

Special Note:-

This System (Super Maxima) is Recommended Only with Mains/Grid Otherwise Company will not Responsible

NOTE

- Maximum Output Current is 3Amp & Output is 660Watt
- System VOC is 16v-30v (For Modules)
- For Better Performance Maximum Distance between PCU & Modules is 6Mtr.
- When Bettery is Fully Charged than Backup over 200Watt load- 4 to 5 Hours.

1.1 KW Off Grid System

- 550w/24v- Mono Perc halfcut Solar Modules x2
- Solar PCU 1KVA/12V MPPT (Copper)
- 220AH Solar Tall Tubular Battery x1.
- 8 + 8 Meter 6Sq. MM DC Wire.
- Structure & Installation Excluded
- Solar Business Opportunity

NOTE

- Maximum Output Current is 3.6Amp & Output is 800Watt
- System VOC is 18v-50v (For Modules)
- For Better Performance Maximum Distance between PCU & Modules is 8Mtr.
- When Battery is Fully Charged than Backup Over 300Watt is 5 to 6 Hours.



DP = 45,700/- (110SV)

Applications Fan LED TV

LED Lights

Laptop




DP = 75,700/- (120SV)

Applications



1.1 KW Off Grid System

- 550w/24v- Mono Perc halfcut Solar Modules x2
- Solar PCU 1.5KVA/24V MPPT
- 180AH Solar Tall Tubular Battery x2
- 3 8+8Mtr. 4Sq. MM DC Wire
- Structure & Installation Excluded
- Solar Business Opportunity



DP = 95,700/-(130SV)

(₹1,05,700/- Installation & Structure Included)

Applications





DP = 1,35,700/- (140SV)

(₹1,50,700/- Installation & Structure Included)

Applications



NOTE

- Maximum Output Current is 6Amp & Output is 1350Watt.
- System VOC is 36v-100v (For Modules)
- For Better Performance Maximum Distance between PCU & Modules is 8Mtr.
- When Battery is Fully Charged than Backup Over 400Watt Is 5 to 6 Hours.

2.2 KW Off Grid System

- 550w/24v- Mono Perc halfcut Solar Modules x4
- Solar PCU 2.5KVA/24V MPPT
- 180AH Solar Tall Tubular Battery x2.
- 10+10Mtr. 6Sa. MM DC Wire
- Structure & Installation Excluded
- Solar Business Opportunity

NOTE

- Maximum Output Current is 9Amp & Output Is 2000Watt.
- System VOC is 36v-100v (For Modules)
- For Better Performance Maximum Distance between PCU & Modules is 10Mtr.
- When Battery is Fully Charged than Backup Over 500Watt is 5 to 6 Hours.

Solar Structure & Installation





Super Maxima

Structure PRICE 3500/- (Including GST 18%)

- Purlin 54 inch × 2 GI Pipe "40mm"
- Leg (Back) 32 inch × 2 GI Pipe "40mm"
- Leg (Front) 16 inch × 2 GI Pipe "40mm"
- Nut-Bolt 4 Pcs., Hook 8 Pcs., Nail(Keel) 8 Pcs.

Installation

PRICE 2000/-(Including GST 18%)

1.1 KW Off Grid System

Structure PRICE 7000/- (Including GST 18%)

- Purlin 94 inch × 2 GI Pipe "40mm"
- Rafter 47 inch × 2 GI Pipe "40mm"
- Leg (Back) 36 inch × 2 GI Pipe "40mm"
- Leg (Front) 22 inch × 2 GI Pipe "40mm"
- O Nut-Bolt 8 Pcs., Hook 12 Pcs., Nail(Keel) 8 Pcs.

Installation

PRICE 3000/-(Including GST 18%)

2.2 KW Off Grid System

Structure PRICE 11000/- (Including GST 18%)

- Purlin 94 inch × 4 Gl Pipe "40mm"
- Rafter 156 inch × 2 GI Pipe "40mm"
- Leg (Back) 58 inch × 2 GI Pipe "40mm"
- ◆ Leg (Middle) 40 inch × 2 GI Pipe "40mm"
- Leg (Front) 22 inch × 2 GI Pipe "40mm"
- O Nut-Bolt 14 Pcs., Hook 24 Pcs., Nail(Keel) 12 Pcs.

Installation

PRICE 4000/(Including GST 18%)

Street Light

Structure PRICE 5000/- (Including GST 18%)

GI Pole - 6 Mtr with Arm & Panel Structure

Installation

PRICE 1500/(Including GST 18%)

Special Note:- The Standard measurement as mentioned above may slightly be very as per technical parameter.

2.2 KW Off Grid System

- 550w/24v- Mono Perc halfcut Solar Modules x4
- Solar PCU 2.5KVA/24V MPPT (Copper)
- 220AH Solar Tall Tubular Battery x2
- 10+10Mtr. 6Sq. MM DC Wire
- Structure & Installation Included.
- Solar Business Opportunity



DP = 1,70,700/- (150SV)

Applications





DP = 2,30,700/- (160SV)

Applications



NOTE

- Maximum Output Current is 9.1Amp & Output is 2000Watt.
- System VOC is 36v-100v (For Modules)
- For Better Performance Maximum Distance between PCU & Modules is 10Mtr.
- When Battery is Fully Charged Backup Over 600Watt is 6 to 7 Hours.

3.3 KW Off Grid System

- 550w/24v- Mono Perc halfcut Solar Modules x6
- Solar PCU 3.5KVA/48V MPPT
- 180AH Solar Tall Tubular Battery x4
- 12+12Mtr. 6Sq. MM DC Wire
- Earthing Set
- Structure & Installation Included.
- Solar Business Opportunity

NOTE

- Maximum Output Current is 12Amp & Output is 2400Watt.
- System VOC is 72v-200v (For Modules)
- For Better Performance Maximum Distance between PCU & Modules is 12Mtr.
- When Battery is Fully Charged Backup Over 700Watt is 6 to 7 Hours.

4.4 KW Off Grid System

- 550w/24v- Mono Perc halfcut Solar Modules x8
- Solar PCU 5KVA/48V MPPT
- 220AH Solar Tall Tubular Battery x4.
- 6Sq. MM DC Wire as per Std.
- DCDB Set
- Earthing Set
- Structure & Installation Included.
- Solar Business Opportunity

NOTE

- Maximum Output Current is 18Amp & Output is 4000Watt
- System VOC is 72v-200v (For Modules)
- For Better Performance Maximum Distance between PCU & Modules is 15Mtr.
- When Battery is Fully Charged Backup at 40% load is 5 to 6 Hours.

5.5 KW Off Grid System

- 550w/24v- Mono Perc halfcut Solar Modules x10
- Solar PCU 5KVA/96V MPPT
- 180AH Solar Tall Tubular Battery x8.
- 6Sq. MM DC Wire as per Std.
- DCDB Set
- Earthing Set
- Structure & Installation Included.
- Solar Business Opportunity

NOTE

- Maximum Output Current is 18Amp & Output is 4000Watt.
- System VOC is 144v-400v (For Modules).
- For Better Performance Maximum Distance between PCU & Modules is 15Mtr.
- When Battery is Fully Charged Backup at 40% load is 8 to 10 Hours.



DP = 3,35,700/- (200SV)

Recommended For





DP = 4,00,700/- (200SV)

Recommended For



MRP = 6,00,000/-

DP = 5,55,700/- (250SV)

Recommended For





DP = 7,50,700/-(300SV)

Recommended For



7.7 KW Off Grid System

- 550w/24v- Mono Perc halfcut Solar Modules x14
- Solar PCU 7.5KVA/120V MPPT
- 180AH Solar Tall Tubular Battery x10.
- 6Sq. MM DC Wire as per Std.
- DCDB Set
- Earthing Set
- Lightning Arrester (LA)
- ♠ Structure & Installation Included.
- Solar Business Opportunity

NOTE

- Maximum Output Current is 27Amp & Output is 6000Watt.
- System VOC is 180v-450v (For Modules).
- For Better Performance Maximum Distance between PCU & Modules is 20Mtr.
- When Battery is Fully Charged Backup at 40% load is 8 to 10 Hours

11.5 KW Off Grid System

- ◆ 550w/24v- Mono Perc halfcut Solar Modules x21
- Solar PCU 10KVA/180V MPPT
- 180AH Solar Tall Tubular Battery x15
- 10Sq. MM DC Wire as per Std.
- DCDB Set
- Earthing Set
- Lightning Arrester (LA)
- Structure & Installation Included.
- Solar Business Opportunity

NOTE

- Maximum Output Current is 36Amp & Output is 8000Watt.
- System VOC is 270v-450v (For Modules).
- For Better Performance Maximum Distance between PCU & Modules is 20Mtr.
- When Battery Is Fully Charged Backup at 40% load is 8 to 10 Hours.

ऑफ ग्रिड सोलर सिस्टम संबधित मुख्य जानकारी

- 🔾 यह सिस्टम मुख्यत: जहां ग्रिड (बिजली) कम है या ग्रिड (बिजली) बिल्कुल नही है, वहां लगता है।
- बिजली का बिल कम किया जा सकता है (जहां ग्रिड है)
- 1 किलोवॉट 3-5 युनिट प्रतिदिन बिजली वार्षिक औसर्त उत्पादन करता है। (MPPT PCU)
- कितने किलोवॉट लगेगा गणना कैसे करे –
 (तीन प्रकार के निम्न लिखित लोड होते है)
 - 1. Resistive Load (ऐसे उपकरण जो शुरु होने से लेकर बन्द होने तक Power Consumption एक समान करते हो)

जैसे – LED Bulb, Tubelight, LED TV, Projector etc.

2. Capacitive Load (ऐसे उपकरण जिसमें Capacitor लगे हुए हो) जैसे – Fan, Cooler, Fridge & Chargeable Equipment etc.

$$\frac{\text{Total Load in Watts}}{220} = \text{Ampere}, \quad \frac{\text{Ampere}}{3} = \text{KW}$$

For Example :-

$$\frac{3200}{220}$$
 = 14.6 Amp., $\frac{14.6 \text{ Amp}}{3}$ = 4.9 KW (5 KW)

3. Inductive Load (ऐसे उपकरण जिसमें Induction लगे हुए हो) जैसे – Submersible Pump, Mono Block, Iron, AC, Motor etc...

$$\frac{\text{Total Load in Watts}}{220} = \text{Ampere}, \quad \frac{\text{Amp. X 2.5}}{3} = \text{KW}$$

For Example :-

$$\frac{4000}{220}$$
 = 18.2 Amp., $\frac{18.2 \text{ Amp. X } 2.5}{3}$ = 15.2 KW (15 KW)

- नोट:- 1. जिस किसी भी लोड के साथ में Inductive Load का एक भी उपकरण अगर है तो गणना Inductive Load Formula के हिसाब से ही करे
 - 2. उपरोक्त सभी गणना सिंगल फेस (1 Phase) लोड के According की गई है।
 - 3. 3 फेस (3 Phase) लोड की गणना के लिए कम्पनी के Technical Department से सम्पर्क करे।
- अौसत क्षेत्रफल प्रति किलोवॉट 100Sqft.
- ᢒ Battery Backup की गणना –

For Example :-

$$\frac{12 \times 180 \times 0.8}{400} \times 0.9 = 3.88 \text{ Hrs. (15Min±)}$$

- नोट:- 1. उपरोक्त Battery Backup के लिए बैटरी का पूर्ण चार्ज (Fully Charged) होना जरुरी है
 - Amp. = Ampere , Ah.(For Battery) = Ampere Per Hours , HP
 (For Motor)= Horse Power , 1 Ton(For Air Conditioner) = 1000 watt.

विशेष नोट:- अधिक जानकारी के लिए ऑफ ग्रिड Technical Department से सम्पर्क करे।

Major Item	3.3KW	5KW	8KW	10KW	12KW	15KW	20KW	25KW
Mono Perc halfcut Solar Module 550w/24v	ar 6 Nos	soN 6	15 Nos	18 Nos	22 Nos	27 Nos	36 Nos	45 Nos
Inverter Reputed Make/Luminous	3KW x 1 Pc.	5KW x 1 Pc.	8KW × 1 Pc.	10KW × 1 Pc.	12KW x 1 Pc.	12KW x 1 Pc. 15KW x 1 Pc.	20KW x 1 Pc.	25KW ×1Pc.
ACDB DCDB Suncity/Reputed Make	- 1 P	1 Pc.	1 Pc.	1 Pc.	1 Pc.	1 Pc.	- 1 Pc - 2 Pc	1 Pc.
Cables Suncity/Reputed Make EC	10mtr. 15mtr.	10mtr. 20mtr. 10mtr.	15mtr. 25mtr. 30mtr.	20mtr. 25mtr. 30mtr.	20mtr. 40mtr. 30mtr.	20mtr. 50mtr. 30mtr.	25mtr. 60mtr. 30mtr.	25mtr. 60mtr. 45mtr.
Earthing	As Per Std.	As Per Std.	As Per Std.	As Per Std.	As Per Std.	As Per Std.	As Per Std.	As Per Std.
LA		1	Yes	Yes	Yes	Yes	Yes	Yes
Net Meter Secure/Reputed Make	1 Pc.(1 Phase)	1 Pc.(1 Phase)	1 Pc.(3 Phase)	1 Pc.(1 Phase) 1 Pc.(1 Phase) 1 Pc.(3 Phase) 1 Pc.	1 Pc.(3 Phase)	1 Pc.(3 Phase)	1 Pc.(3 Phase)	1 Pc.(3 Phase)
Solar Meter Secure/Reputed Make	1 Pc.(1 Phase)		1 Pc.(3 Phase)	1 Pc.(1 Phase) 1 Pc.(3 Phase) 1 Pc.(3 Phase)	1 Pc.(3 Phase)	1Pc.(3 Phase) 1Pc.(3 Phase) 1Pc.(3 Phase) 1Pc.(3 Phase)	1 Pc.(3 Phase)	1 Pc. (3 Phase)
GI Structure	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Installation	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
MRP	₹2,35,000	₹3,60,000	₹4,90,000	€6,00,000	₹7,40,000	₹8,65,000	₹11,00,000	₹13,75,000
DP	₹2,15,700 (160SV)	₹3,25,700 (200SV)	₹4,50,700 (260SV)	₹5,50,700 (300SV)	₹6,60,700 (340SV)	₹8,00,700 (400SV)	₹10,30,700 (500SV)	₹12,60,700 (600SV)

Requirement above than 25 KW - call us at +91-99823 11700 or email us at info@suncitysolar.in

्ऑन ग्रिड सोलर सिस्टम संबधित मुख्य जानकारी

- च यह सिस्टम मुख्यतः जहां 22 से 24 घण्टे ग्रिड (बिजली) हो, वहां लगता है।
- ᢒ बिजली का बिल न्यूनतम या जीरो (स्थायी शुल्क के अलावा) किया जा सकता है।
- 1 किलोवॉट 4-5 यूनिट प्रतिदिन बिजली उत्पादन करता है। (वार्षिक औसत)
- कितने किलोवॉट लगेगा गणना कैसे करे −

बिजली बिल के युनिट \div बिजली बिल के दिन \div 4 = लगने वाला किलोवॉट (+20%)

For Example :- 1200Unit ÷ 30Day ÷ 4 = 10KW (12) (पूरे वर्ष में जो बिल अधिक खपत वाला है, उसको ध्यान में रख कर गणना करे)

- बिल में स्वीकृत लोड लगने वाले किलोवॉट के बराबर या अधिक होना जरुरी है।
- बिजली विभाग संबधित कार्य
 - 1. अगर स्वीकृत लोड कम है तो लोड बढ़वाना एवं 1Phase/3Phase भी नियमानुसार करवाना।
 - 2. बिजली विभाग से सोलर स्वीकृति लेना।
 - 3. नेटमीटर एवं सोलर मीटर लैब टेस्टींग के लिए देना।
 - 4. नेटमीटर एवं सोलर मीटर स्थापित (कनेक्शन) करवाना।
- औसत क्षेत्रफल प्रति किलोवॉट 100Sqft.

विशेष नोट:- बिजली विभाग संबंधित समस्त कार्यो की जिम्मेदारी उपभोक्ता/ग्रहक की होगी। विभागीय दिशानिर्देशों की सुगमता हेतु कम्पनी सिर्फ मार्गदर्शन प्रदान करेगी।



Solar Water Pumping System

3 HP Solar Water Pump (160SV)

Voltage	Head Meter	Discharge (LPM)	Delivery	MRP	DP
230 AC	20	220	2"	₹2,35,000	₹2,15,700
-	30	200	2"	₹2,50,000	₹2,25,700
300/335×10 Module 1 Tree	50	150	2"	₹2,55,000	₹2,35,700
-	70	120	1.5"	₹2,60,000	₹2,40,700
-	100	83	1.5"	₹2,65,000	₹2,45,700
-	Monoblock	300	2"	₹2,30,000	₹2,10,700

5 HP Solar Water Pump (200SV)

Voltage	Head Meter	Discharge (LPM)	Delivery	MRP	DP
380 AC	30	350	2.5"	₹3,50,000	₹3,25,700
-	50	330	2"	₹3,40,000	₹3,30,700
300/335×16 Module 2 Tree	es 70	250	1.5"	₹3,50,000	₹3,40,700
-	100	153	1.5"	₹3,60,000	₹3,50,700
-	150	100	1.5"	₹3,80,000	₹3,70,700
-	180	70	1.5"	₹3,90,000	₹3,80,700
-	Monoblock	400	2"	₹3,40,000	₹3,30,700

7.5 HP Solar Water Pump (250SV)

Voltage I	lead Meter	Discharge (LPM)	Delivery	MRP	DP
320 AC	50	380	2"	₹4,65,000	₹4,50,700
-	70	310	2"	₹4,75,000	₹4,60,700
300/335×24 Module 3 Tree	s 100	200	1.5"	₹4,85,000	₹4,70,700
-	150	100	1.5"	₹5,05,000	₹4,90,700
-	180	70	1.5"	₹5,20,000	₹5,05,700

10 HP Solar Water Pump (300SV)

Voltage	Head Meter	Discharge (LPM)	Delivery	MRP	DP
320 AC	50	525	2.5"	₹6,05,000	₹5,85,700
-	70	366	2.5"	₹6,10,000	₹5,90,700
300/335×32 Module 4 Tre	es 100	300	2"	₹6,15,000	₹5,95,700
-	140	240	2"	₹6,25,000	₹6,05,700
-	180	150	2"	₹6,50,000	₹6,30,700

Requirement above than 10HP - call us at +91-99823 11700 or email us at info@suncitysolar.in

All above prices are Including rope, structure, submersible cable, role pipe & Installation.



Solar Management Unit (SMU)



DP = 26,700/- (100SV)

- Performance Warranty 1 year

Solar Maxima

- 165/160w/12vx2 Solar Module (Poly)
- 12v-24v Solar Management Unit
- SMU with Digital Controller
- Digital Display Showing
- 6+6mtr., 4mm DC Wire
- Installation & Structure Excluded
- Solar Business Opportunity

Special Note:- Off site service will be provided under warranty period only.

Solar Water Heater System



DP(200LPD) = 45,700/-(110SV)

-Performance Warranty 5 years

Winter Maxima

- Glass lined Solar Water Heater
- 200 LPD double access doors
- High-Pressure & density PUF Insulation
- 3T Gold standard tubes setup
- Wall Mount (1 year Warranty)
- Installation Excluded
- Solar Business Opportunity

Special Note:- All liabilities in relation with transport of the product from our premises viz. mode of transport, charges, safety etc is solely on customer's scope.



DP(500LPD) = 71,700/- (120SV)


-Performance Warranty 5 years

Super Winter Maxima

- Glass lined Solar Water Heater
- 500 LPD double access doors
- High-Pressure & density PUF Insulation
- 3T Gold standard tubes setup
- Wall Mount (1 year Warranty)
- Installation Excluded
- Solar Business Opportunity

Special Note:- All liabilities in relation with transport of the product from our premises viz. mode of transport, charges, safety etc is solely on customer's scope.

Repurchase Products



Particular	MRP (in Rs)	DP (in Rs)	RSV (in Points)
10W/12V Solar Module (Poly)	900	800	1
20W/12V Solar Module (Poly)	1600	1460	2
40W/12V Solar Module (Poly)	2800	2500	4
50W/12V Solar Module (Poly)	3300	3000	5
75W/12V Solar Module (Poly)	4575	4100	7
165W/12V Solar Module (Poly)	8000	7500	10
400W/24V Solar Module (Mono perc)	19700	18000	20
550W/24V Solar Module (Mono Perc halfcut)	30000	24700	25



Particular	MRP (in Rs)	DP (in Rs)	RSV (in Points)
150AH Battery	22000	19000	10
180AH Battery	21900	21000	12
220AH Battery	24800	24000	15

Repurchase Products



Particular	MRP (in Rs)	DP (in Rs)	RSV (in Points)
Suncity Solar PCU 1KVA(1000VA)/12V PWM	13000	11000	10
Suncity Solar PCU 1 KVA/12V MPPT (Copper)	18000	15500	12
Suncity Solar PCU 1.5 KVA/24V MPPT	23000	19000	15
Suncity Solar PCU 2.5 KVA/24V MPPT	32000	27500	20
Suncity Solar PCU 2.5 KVA/24V MPPT (Copper)	50000	41500	25
Suncity Solar PCU 3.5 KVA/48V MPPT	53000	44800	30
Suncity Solar PCU 5 KVA/48V MPPT	97050	80500	50
Suncity Solar PCU 5 KVA/96V MPPT	98550	85500	50



Particular	MRP (in Rs)	DP (in Rs)	RSV (in Points)
Solar Charge Controller	5000	4500	8
.5 HP DC Mono Block	9000	8500	10
1 HP DC Mono Block	14000	11500	15

NOTE: Prices of products listed in this brochure are subject to discound policy prevailing at the time of purchase of products by the customer.

Suncity Solar Business Plan

(Benefits of becoming our Solar Advisor/Direct Seller)

1. Retail Profit: Up to 10%

1 Sales Volume (SV) = 100RS.

2. Direct Referral Incentive: 20% of the SV (Closing Daily)

3. Team Performance Incentive: 12% of matched 100 SV. (Daily Capping 3500 SV (42000Rs). (Closing Daily)

4. Rank Advancement Bonus: a Solar Advisor achieves certain level of Business matching: (Closing Daily)

Left & Right Team	Leadership Rank		Advancement Slab/ Rs.	Reward (Trip)
800 SV	Tiger	10%	8000/-	-
3000 SV	Star	7%	21000/-	-
12500 SV	2 Star	4%	50000/-	-
50000 SV	3 Star	2%	100000/-	Goa By Flight (Self)
200000 SV	5 Star	1.25%	250000/-	Shimla Manali (Self)
400000 SV	7 Star	1%	400000/-	Cruise (Self +1)
800000 SV	Diamond	1%	800000/-	Dubai (Self+1)
2000000 SV	Venus	1%	2000000/-	Europe(Self+3)
5000000 SV	Crown	0.5%	2500000/-	World (Self+3)
10000000 SV	Brand Ambassador	0.25%	2500000/-	4 Dham (Self+3)

- 5. Solar Master Incentive: (Closing Daily)
- Solar Master Incentive: 1000/- Rupees per HP/KW (1KW/HP to 25KW/HP)
 Special Note:- Above 25KW/HP will be dealt as per Deal confirmed by head Office.
- 6. Royalty Incentive: (Closing Monthly)

Royalty Incentive for the Solar Advisors who have achieved the Leadership Rank of

Recognization Levels	% Distribution On Monthly SV Matching
Diamond	1%
Venus	0.5%
Crown	0.5%
Brand Ambassador	0.25%

7. Retail Performance Incentive: (Closing Monthly)

Self Repurchase Incentive - 30% (Of Products RSV) 1 Repurchase Sale Volume (RSV) = 100RS.

Leadership Rank	% Distribution On Monthly RSV Matching
Tiger	8%
Star	7%
2 Star	6%
3 Star	5%
5 Star	4%
7 Star	3%
Diamond	2%
Venus	1%
Crown	0.5%
Brand Ambassador	0.25%

Business Plan Terms & Conditions:

- 1. This Business Plan is the Sole Property of the Company, hence not be copied.
- All calculations will be decided on SV per Unit as per Norms & Policy of the Company.
- 3. Company will not be liable for any commitment made other than T&C, Norms & Policy of the Company.
- 4. Company reserves the right to change/modify all Incentives.
- 5. Active Business is calculated after all cancellations and refunds deducted from the current pay-out period.

Guarantee/Warranty of Our Products

- **1. Solar Modules (Panels) -** Performance Warranty will be 25 Years for power output (1% Degradation in 1st year and 0.5% to 1% in Consecutive years) when Below Mentioned Necessary Instructions must be followed by the Consumer/Customer
- Modules/Panels must be in Shadow free area.
- Modules (Panels) have to be cleaned with fresh water in 7 days regularly.
- Modules (Panels) cleaning time before sunrise and after sunset
- ◆ Modules (panels) must be in South facing +/- 15 Degree.

SPECIAL NOTE: Required Proper Sunlight and clear weather for better performance as committed.

- 2. Battery 5 years Performance Guarantee when the below Mentioned necessary instructions must be followed by the Customer/Consumer.
- Battery should not run dry in any condition
- Battery must be checked within 45 days to ensure the water level and if required than it should be filled only by distilled water and don't close the battery water lids/caps too tight..
- Charging or discharging cycle must be maintain for proper output of the battery .
- Check terminal within 45 days regularly and if there is any sign of carbon/salty water than clean the terminal.
- Battery should not over charge or deep discharge.
- Keep out away from the reach of children, etc.

SPECIAL NOTE: 1. The Battery Backup is been committed only after 7 to 8 charging or discharging cycle.

- 2. Battery problem will be resolved with in 15-30 working days after checking technical parameters by the technical team.
- **3. Solar PCU -** 2 years Performance Guarantee when the below mentioned necessary instructions must be followed by the Customer/Consumer.
- PCU must be Kept away from Moisture, Dust, water and any liquid or undesirable material.
- PCU must be installed/kept in proper ventilation.
- Keep away from heat and inflammable materials.
- Keep out away from the reach of children, etc.

SPECIAL NOTE: Do not cover PCU by clothes, plastics, iron sheet etc.

- **4.** Water Pump Motor/Mono Block and Controller 2 Years Performance Guarantee when the Below Mentioned Necessary Instructions must be followed by the Customer/Consumer.
- Do not operate Motor/Mono Block Dry in any condition.
- Do not operate Motor, Mono Block, Controller under or over voltage
- Do not operate the system at the same time with Grid and Solar

SPECIAL NOTE: Pump, Motor, Mono Block, Openwell and other related accessories is not Guaranteed/Warranteed to be Cut/Damaged by Soil and Salty Water.

NOTE: Any damage caused due to mishandling, natural calamity, human abuse, fire and any other type of wear and tear will not be covered under guarantee and warranty. Company shall not be held responsible and shall not provide any claim for such damages.

Terms and Conditions For Our Products & Service

- Performance Guarantee/Warranty as applicable will only be Governed/Covered only when Solar System is installed under the direction of company's Authorized technical team or Authorized technician.
- 2. If products needs replacement which is under guarantee/warranty will be replaced only at company HO & authorised STOCK AND SERVICE POINT(SSP). Customer has to send & pick it from HO & SSP premises only. Replacement Time 15 to 30 working Days.
- 3. GI Mounting Structure charges will be extra over 3 feet of standard size.
- 4. Any damage caused during transportation or mishandling of the product, human abuse, natural calamity, fire is to be informed immediately within one hour to the company's dispatch department along with the video and photograph so as to proceed further. Company ensures to assist Customer/Consumer for any claim with the transporter if applicable.
- Goods returned with the broken seal as marked by manufacturer or Warrantor/Guarantor will not be entertained for any repair and service.
- 6. In case of any damage the Customer / Consumer must necessarily and immediately communicate with the service/dispatch department of the company failing to which company is not liable for any service/repair of the product.
- 7. In case of any product which has been opened/repaired by any unauthorized person whomsoever he/she may be, then the product will be considered as out of Warranty/ Guarantee.
- 8. Labour and raw material charges for civil work is under Customer's scope.
- DISCOM charges and documentation for On-Grid connection is under Customer's scope.
- 10. Final deal will be dealt by Competent Authority/Management of the Company. Any dispute arosed other than T&C and Warranty and Guarantee clause will not be entertained.
- 11. Any Deal/ Sale is been finalized only after the confirmation of the stock availabity of the product with it's T&C and Guarantee/Warranty clause along with the complete details with "Backup Confirmation" of the product.
- 12. In case of any technical problem of the product the Customer/Consumer must compulsorily and properly communicate with the service department of the Company sharing the videos and photograph as asked/desired by technical team of the Company, failing to which Company is not liable for any support or service for the particular matter. The Pictorial image of the Product as shown may slightly vary.
- 13. It is the sole responsibility of the Customer/Consumer to receive the Material/Product after dispatch. As Company is not responsible for any occurrence or damage, loss or theft after dispatch of the product. If the transportation is the responsibility of the Company than the Company will be liable for the safe delivery of the said product.
- 14. Dispatch of any material/product will be deemed as confirmed only after the payment received in Company's account or receiving of the cash payment. Cash payment will only be confirmed after the cash receipt issued by the Company with authorized seal and signature.
- 15. Installation will be done within 15-30 days only after 100% Payment in advance and confirmation of the payment by the Company.
- 16. Prices may vary or may be changed according to the site requirement, Customers customization, Manufacturing Company or as per Government norms like Taxes etc.
- 17. The Company reserves the rights to change the products, products price, incentives, service procedure or any charges as levied by time to time.
- 18. All mentioned prices are GST paid.
- 19. Transportation/courier charges will be extra for each product.
- 20. All T&C of Warranty/Guarantee of respective manufacturers to be governed on behalf of registered Guarantee/Warranty card.
- 21. All disputes shall be exclusively subject to Jodhpur Jurisdiction.

Reach us

Toll Free No. :- 95872-11700

		igotimes
Particular	Mobile No.	Email us at
KYC-Mobile Number Updation & Any Correction	76655-11700	kyc@suncitysolar.in
Product Purchase/Upgrade/Dispatch/ Delivery/Damage	96106-11700	support@suncitysolar.in
Incentive/Cheque	96106-11700	finance@suncitysolar.in
Solar Advisor ID Activation	99825-11700	finance@suncitysolar.in
Discovery of Success (DOS)	95496-11700	DOS@suncitysolar.in
Quotation (ABOVE 10HP/25KW)	96498-11700	support@suncitysolar.in
Grievance Officer	97729-11700	info@suncitysolar.in
FOR ON GRID SYSTEM	98870-11700	service@suncitysolar.in
FOR OFF GRID SYSTEM	96103-11700	service@suncitysolar.in
FOR WATER PUMP AND WATER HEATER SYSTEM	95499-11700	service@suncitysolar.in
For Any Queries	95872-11700	info@suncitysolar.in
Our CSR Initiative:		
SUNTAAN Foundation (Powered by SPC)	99823-11700	info@suncitysolar.in

Note : All the above Lines are open From Monday to Saturday 10:00 AM till 5:00 PM (Public Holidays & Sunday Closed)

f @SuncitySolar700

@SuncitySolar700

@SuncitySolar700

@suncitysolar

www.suncitysolar.in

For more info write us: info@suncitysolar.in | md@suncitysolar.in | cmd@suncitysolar.in

Head Office : 3rd Floor, Ayushi Tower, Main Pal Road, Jodhpur, Rajasthan 342003



Solar Advisor Detail